


CHEMICAL NAME

Vinyldimethylchlorosilane

CHEMICAL STRUCTURE



INTRODUCTION

SiSiB® PC6200 is a clear to straw liquid.

TYPICAL PHYSICAL PROPERTIES

CAS No.	1719-58-0
EINECS No.	217-007-1
Formula	C ₄ H ₉ ClSi
Molecular Weight	120.65
Boiling Point	82°C [760mmHg]
Flash Point	-5°C
Color and Appearance	Clear to straw liquid
Density 25/25°C	0.884
Refractive Index	1.414[25°C]
Purity	98.0% by GC

APPLICATIONS

SiSiB® PC6200 can be used as a monomer ('building block') in the production of silicone polymers or silicone resins. Silicone polymers may be oils, greases and rubbers and have a wide range of uses.



Copyright© 2008 Power Chemical Corporation Ltd. SiSiB® is a registered trademark of PCC. For more knowledge regarding organosilanes, you may visit www.SiSiB.com or www.PCC.asia



SiSiB[®] PC6200 SILANE

SiSiB® PC6200 can be used as an intermediate (starting material) in the production of other organosilicon substances.

PACKING AND STORAGE

SiSiB® PC6200 is supplied in net weight 180Kg steel drum.

In the unopened original container SiSiB® PC6200 has a shelf life of one year in a dry and cool place.

Notes

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: silanes@SiSiB.com.

Power Chemical IS09001 IS014001 certificated Copyright[©] 2008 Power Chemical Corporation Ltd. SiSiB[®] is a registered trademark of PCC. For more knowledge regarding organosilanes, you may visit www.SiSiB.com or www.PCC.asia