

# SiSiB® PC6320 SILANE

- 1 -

### CHEMICAL NAME

Vinylmethyldiethoxysilane

### CHEMICAL STRUCTURE

$$H_2C \longrightarrow CH \longrightarrow Si \longrightarrow CH_3$$
 $OC_2H_5$ 
 $OC_2H_5$ 

## INTRODUCTION

SiSiB® PC6320 is a clear to straw liquid.

### TYPICAL PHYSICAL PROPERTIES

CAS No.	5507-44-8
EINECS No.	226-850-4
Formula	C <sub>7</sub> H <sub>16</sub> O <sub>2</sub> Si
Molecular Weight	160.29
Boiling Point	134°C [760mmHg]
Flash Point	16°C
Color and Appearance	Colorless transparent liquid
Density <sub>25/25°C</sub>	0.858
Refractive Index	1.4000 [25°C]
Active Content	98.0% by GC

### APPLICATIONS

SiSiB® PC6320 is used as an important raw material for silicone rubber.

#### PACKING AND STORAGE



Copyright© 2008 Power Chemical Corporation Ltd. SiSiB® is a registered trademark of PCC. For more knowledge regarding organosilanes, you may visit www.SiSiB.com or www.PCC.asia



# SiSiB<sup>®</sup> PC6320 SILANE

- 2 -

SiSiB® PC6320 is supplied in net weight 170Kg steel drum.

In the unopened original container SiSiB® PC6320 has a shelf life of one year in a dry and cool place.

#### Notes

All information in the leaflet is based on our present knowledge and experience. We reserve the right to make any changes according to technological progress or further developments. Performance of the product described herein should be verified by testing.

We specifically disclaim any other express or implied warranty of fitness for a particular purpose or merchantability. We disclaim liability for any incidental or consequential damages.

Please send all technical questions concerning quality and product safety to: silanes@SiSiB.com.

